

PRESS RELEASE

September 11, 2024 || Page 1 | 6

New approaches for the cost-efficient and high-speed production of fuel cells

Fraunhofer ILT presents pioneering technologies for hydrogen and fuel-cell production at Hy-fcell 2024

The Fraunhofer Institute for Laser Technology ILT will show experts from the hydrogen industry how advanced laser technologies are helping to pave the way for the breakthrough of hydrogen technology at the international trade fair and conference Hy-fcell, which will take place in Stuttgart on October 8 and 9, 2024. At stand 4E51 in hall 4, the Aachen-based institute will be demonstrating which innovations can meet the growing demand for hydrogen technology and how laser technology increases efficiency, reduces costs and improves the sustainability of fuel cell production.

For hydrogen technology to become a key to the energy transition, it needs to make a decisive step forward: toward broad application. The main factors holding back this longed-for breakthrough, however, are the high costs of expensive materials and complex manufacturing processes for fuel cells and electrolyzers.

The Fraunhofer Institute for Laser Technology ILT is tackling these challenges and working hard to develop cost-efficient and scalable solutions. At Hy-fcell 2024 in Stuttgart, the Aachen-based institute will be presenting pioneering innovations in Hall 4, Stand 4E51, transformations that help to make production processes considerably more economical and sustainable at the same time.

Laser-based drying of electrodes: energy efficiency, speed and space savings in fuel cell production

As the demand for fuel cells grows, it is becoming increasingly important to make production processes more efficient. Yet, a key challenge remains: drying the wetapplied electrode layers for the membrane electrode assembly (MEA) in the polymer electrolyte membrane (PEM) fuel cell. Conventionally, this process is carried out in large convection ovens, which consume a great deal of energy and take up considerable space in a production hall.

Fraunhofer ILT has developed a laser-assisted drying technology that addresses these issues. The use of lasers, which expose the electrodes selectively, reduces the drying

Press contact

Petra Nolis M.A. | Group Manager Communication | Phone +49 241 8906-662 | petra.nolis@ilt.fraunhofer.de Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen | www.ilt.fraunhofer.de



time from several minutes down to just a few seconds. This drastic reduction in drying time significantly increases production speed, particularly in the roll-to-roll process. Furthermore, this process reduces energy requirements compared to conventional gaspowered continuous ovens. In addition, the laser system requires considerably less space, which enables a more compact and flexible production line.

"By developing a laser-based roll-to-roll process for the production of membrane electrode units, we are making an important step towards making fuel-cell manufacturing processes more efficient. With our laser-assisted drying technology, we are setting a new standard that not only increases production speed, but also optimizes energy efficiency and space utilization," explains Manuella Guirgues from the Thin Film Processing group at Fraunhofer ILT.

Corrosion protection coatings for bipolar plates: increasing efficiency and reducing costs in fuel cell production

Particularly with PEM fuel cells, the aggressive chemical conditions within the fuel cell pose new challenges for production. Protecting the metallic bipolar plates (BPP) from corrosion is not only essential for the service life of the cell, but also for the efficiency of the entire fuel-cell stack.

When BPPs are coated with chemical or physical vapor deposition in a vacuum, costs rise and production slows down. Fraunhofer ILT is working on a process that combines spray coating with laser-beam processing in order to achieve an electrically conductive and corrosion-resistant finish on the metallic bipolar plates – without the need for an energy-intensive vacuum process.

This approach can not only significantly reduce production costs through the use of cost-effective materials, but also be better integrated into continuous manufacturing processes. The high scalability of the process helps to efficiently serve the growing market for PEM fuel cells.

Julius Funke from the High Temperature Functionalization group emphasizes: "Our laser-based method for the production of corrosion protection layers offers an efficient and cost-effective alternative to traditional vacuum processes. It enables faster production and improved scalability, which is crucial to meet the increasing demand for PEM fuel cells."

September 11, 2024 || Page 2 | 6



Optimization of fuel cell production through double-beam welding and repair of forming tools

Double-beam welding can also be used to speed up production elsewhere. This process uses two laser beams simultaneously to weld the metallic bipolar plates, a technique that reduces the cycle time by almost 50 percent without compromising the seam quality. When the two beams are used to weld at one point, the melt pool dynamics can be influenced selectively, enabling higher welding speeds and avoiding typical defects such as humping. This process enables faster and more efficient production that meets the increasing demands of hydrogen technology.

The production of metallic BPPs is also hampered by the service life of the tool steels used. The tools are susceptible to wear due to their high mechanical loads. The approach taken by ILT is to replace cost-intensive tool steels with structural steels and to apply high-quality wear protection coatings using extreme high-speed laser cladding (EHLA). Compared to conventional tool steels, the coated workpieces exhibit an increase in sliding friction wear resistance by a factor of more than 10. The EHLA process also allows damaged areas of the tools to be repaired, enabling the tools to be adapted and reused. This technology significantly extends the service life of the tools, which in turn reduces production costs and increases sustainability in manufacturing.

Fraunhofer ILT is developing a number of processes to make the process chain for manufacturing fuel-cell components more efficient. These include high-speed cutting, with which the BPPs are precisely trimmed and media feed holes are cut directly. An innovative approach is the laser-based introduction of microstructures into the metallic BPP, which reduce the electrical contact resistance and displace the water from the contact zone during operation of the fuel cell. The Aachen researchers are also intensively investigating the structuring and welding of compound BPPs and MEAs in order to further automate the production of fuel cells and make it more efficient.

Visit us at Hy-fcell 2024 on October 8 and 9 in Stuttgart. You will find us in Hall 4, Stand 4E51. Be inspired by our latest developments and discuss the future of fuel cell production with our experts.

September 11, 2024 || Page 3 | 6



Illustrations:





Figure 1:

Laser-machined bipolar plates: Precise technology for improved corrosion resistance and efficiency in fuel-cell production. © Fraunhofer ILT, Aachen, Germany.



Figure 2: Sathishkumar Natarajan (left) and Manuella Guirgues working on the laserassisted drying of electrodes: The technology significantly reduces drying time and increases the efficiency of fuel cell production. © Fraunhofer ILT, Aachen, Germany.





Figure 3:

Double-beam welding of a bipolar plate: The innovative process enables faster and more efficient production of PEM fuel cells through the use of two simultaneous laser beams. © Fraunhofer ILT, Aachen, Germany.

September 11, 2024 || Page 5 | 6



Figure 4:

Fraunhofer ILT's Hydrogen Lab: a state-of-the-art research environment that covers the entire process chain of BPP production. Companies work here together with scientists on pioneering solutions – from the optimization of individual processes to the development of new technologies. © Fraunhofer ILT, Aachen, Germany.



Professional contact

Manuella Guirgues M.Sc.

Thin Film Processing Group Phone +49 241 8906-466 manuella.guirgues@ilt.fraunhofer.de

Samuel Moritz Fink M. Sc.

Group Leader Thin Film Processing Tel +49 241 8906-624 samuel.fink@ilt.fraunhofer.de

Elie Haddad M.Sc.

Joining of Metals Group Tel +49 241 8906-8013 elie.haddad@ilt.fraunhofer.de

Fraunhofer Institute for Laser Technology ILT Steinbachstrasse 15 52074 Aachen www.ilt.fraunhofer.de

Based in Germany, the **Fraunhofer-Gesellschaft** is the world's leading organization for application-oriented research. It plays a central role in the innovation process – by focusing its research on key technologies relevant to the future and the transfer of its results to industry so as to strengthen our business location and to benefit our society.

Founded in 1949, the organization currently operates 76 institutes and research facilities in Germany. Its current workforce of just under 32,000 employees, most of whom are trained in the natural sciences or engineering, generate an annual financial volume of around \in 3.4 billion. Of this, \in 3.0 billion is spent on contract research.

September 11, 2024 || Page 6 | 6